


MV COLD SHRINK SPLICE KITS SERIES FOR UP TO 33KV

Designed for splicing single and three-core polymeric cables (up to 33kV), suitable for both armoured and non-armoured types. They support Straight Through, Cross Bonding, Aerial Bundle Cable (ABC) joints, and are tested to HD 629.1 and IEC 60502-4 standards.

Features:

- One-piece cold shrink design fits a wide range of cable sizes and types.
- Built-in semi-conductive electrode eliminates taping by forming a Faraday cage.
- Multiple re-jacketing options (e.g., RPM, FR-RPM, resin, PST, tape) offer strong mechanical protection and moisture sealing.
- Easy installation at temperatures from 0°C to +50°C.
- No heat, flame, or special tools required for installation.



| Item Code | Voltage | Cable Core | Tech. | Configuration | Joint Re-jacketing | Cable Configuration | Cable Conductor | Packing |
|----------------------------|---------|------------|-------------|------------------------|-----------------------|-----------------------|-----------------|------------|
| KM3M-92-AG612-1/ST/EB | 11kV | 1C | Cold Shrink | ABC Joint | PST Re-jacketing | Non-Armoured/CTS | 70-120 | 1 kit/3 Ph |
| KM3M-92-AG622-1/ST/EB | 11kV | 1C | Cold Shrink | ABC Joint | PST Re-jacketing | Non-Armoured/CTS | 150-240 | 1 kit/3 Ph |
| KM3M-92-AG612-1/ST/RPM | 11kV | 1C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 70-95 | 1 kit/1 Ph |
| KM3M-92-AG622-1/ST/RPM | 11kV | 1C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 185-240 | 1 kit/1 Ph |
| KM3M-92-AG632-1/ST/RPM | 11kV | 1C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 300-500 | 1 kit/1 Ph |
| KM3M-92-AG632-1/XB/AWA/RPM | 11kV | 1C | Cold Shrink | Cross Bond Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 300-500 | 1 kit/1 Ph |

| Item Code | Voltage | Cable Core | Tech. | Configuration | Joint Rejacketing | Cable Configuration | Cable Conductor | Packing |
|-------------------------------|---------|------------|-------------|------------------------|--------------------------|-----------------------|-----------------|-------------|
| KM3M-92-AG632-1/XB/AWA/RPM/FR | 11kV | 1C | Cold Shrink | Cross Bond Joint | FR Resin Pressure Method | Armour/Non-Armour/CTS | 300-500 | 1 kit/ 1 Ph |
| KM3M-92-AG610-3/ST/RPM | 11kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 70-95 | 1 kit/ 3 Ph |
| KM3M-92-AG620-3A/RPM | 11kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 120-150 | 1 kit/ 3 Ph |
| KM3M-92-AG620-3B/RPM | 11kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 185-240 | 1 kit/ 3 Ph |
| KM3M-92-AG640-3/RPM | 11kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 300-500 | 1 kit/ 3 Ph |
| KM3M-62-AX-630/ST/MAL/RPM | 11kV | 1C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 500-600 | 1 kit/ 1 Ph |
| KM3M-62-AT433-3/ST/MAL/RPM | 11kV | 3C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 25-95 | 1 kit/ 3 Ph |
| KM3M-62-AT443-3/ST/MAL/RPM | 11kV | 3C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 120-150 | 1 kit/ 3 Ph |
| KM3M-62-AT453-3/ST/MAL/RPM | 11kV | 3C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 185-240 | 1 kit/ 3 Ph |
| KM3M-62-AT463-3/ST/MAL/RPM | 11kV | 3C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 300-400 | 1 kit/ 3 Ph |
| KM3M-93-AK640-1/XB/AWA/CTS | 22kV | 1C | Cold Shrink | Cross Bond Joint | Tape Rejacketing | Armour/Non-Armour/CTS | 300-500 | 1 kit/ 1 Ph |
| KM3M-94-AK620-1/ST/MAL/ABC | 33kV | 1C | Cold Shrink | ABC Joint | Tape Rejacketing | Non-Armoured/CTS | 150-240 | 1 kit/ 3 Ph |
| KM3M-94-AK630-1/ST/MAL/ABC | 33kV | 1C | Cold Shrink | ABC Joint | Tape Rejacketing | Non-Armoured/CTS | 300-400 | 1 kit/ 3 Ph |
| KM3M-94-AK620-1/ST/MAL/RPM | 33kV | 1C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 150-240 | 1 kit/ 1 Ph |
| KM3M-94-AK620-1/XB/AWA/CTS | 33kV | 1C | Cold Shrink | Cross Bond Joint | Tape Rejacketing | Armour/Non-Armour/CTS | 150-240 | 1 kit/ 1 Ph |
| KM3M-94-AK630-1/ST/MAL | 33kV | 1C | Cold Shrink | Straight Through Joint | Resin w/ mold | Non-Armoured/CWS | 500-630 | 1 kit/ 1 Ph |
| KM3M-94-AK630-1/XB/MAL | 33kV | 1C | Cold Shrink | Cross Bond Joint | Resin w/ mold | Non-Armoured/CWS | 500-630 | 1 kit/ 1 Ph |


| Item Code | Voltage | Cable Core | Tech. | Configuration | Joint Rejacketing | Cable Configuration | Cable Conductor | Packing |
|--------------------------------|---------|------------|-------------|------------------------|-----------------------|-----------------------|-----------------|-------------|
| KM3M-94-AK630-1/ST/AWA/CTS | 33kV | 1C | Cold Shrink | Straight Through Joint | Tape Rejacketing | Armour/Non-Armour/CTS | 300-630 | 1 kit/ 1 Ph |
| KM3M-94-AK630-1/XB/AWA/CTS | 33kV | 1C | Cold Shrink | Cross Bond Joint | Tape Rejacketing | Armour/Non-Armour/CTS | 500-630 | 1 kit/ 1 Ph |
| KM3M-94-AK631-1/ST/AWA/CTS | 33kV | 1C | Cold Shrink | Straight Through Joint | Tape Rejacketing | Armour/Non-Armour/CTS | 800 | 1 kit/ 1 Ph |
| KM3M-94-AK631-1/ST/AWA/CTS/RPM | 33kV | 1C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 800 | 1 kit/ 1 Ph |
| KM3M-94-AK620-3/ST/MAL/RPM | 33kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 95-240 | 1 kit/ 3 Ph |
| KM3M-94-AK630-3/MAL/A/C/RPM | 33kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 300-400 | 1 kit/ 3 Ph |
| KM3M-94-AK640-3/MAL/A/C/RPM | 33kV | 3C | Cold Shrink | Straight Through Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 500-630 | 1 kit/ 3 Ph |
| KM3M-64-AX-400/ST/AWA/CTS | 33kV | 1C | Tape Joint | Straight Through Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 300-400 | 1 kit/ 1 Ph |
| KM3M-64-ATM-X630/MAL | 33kV | 1C | Tape Joint | Straight Through Joint | Compound w/ mold | Non-Armoured/CWS | 500-630 | 1 kit/ 1 Ph |
| KM3M-64-ATM-XB630/MAL | 33kV | 1C | Tape Joint | Cross Bond Joint | Compound w/ mold | Non-Armoured/CWS | 500-630 | 1 kit/ 1 Ph |
| KM3M-64-AX-630/ST/AWA/CTS | 33kV | 1C | Tape Joint | Straight Through Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 500-630 | 1 kit/ 1 Ph |
| KM3M-64-AX-630/XB/AWA/CTS | 33kV | 1C | Tape Joint | Cross Bond Joint | Resin Pressure Method | Armour/Non-Armour/CTS | 500-630 | 1 kit/ 1 Ph |
| KM3M-64-AT541-3/MAL | 33kV | 3C | Tape Joint | Straight Through Joint | Resin Pressure Method | Non-Armoured/CTS | 240-300 | 1 kit/ 3 Ph |
| KM3M-ABC-64-3/EB | 33kV | 1C | Tape Joint | ABC Joint | Tape Rejacketing | Non-Armoured/CTS | 150-185 | 1 kit/ 3 Ph |
| KM3M-ABC-64-4/EB | 33kV | 1C | Tape Joint | ABC Joint | Tape Rejacketing | Non-Armoured/CTS | 240 | 1 kit/ 3 Ph |

MV COLD SHRINK TERMINATION KITS (INDOOR & OUTDOOR) FOR UP TO 33KV

Designed for indoor and outdoor terminations of single and three-core polymeric cables (up to 33kV), suitable for both armoured and non-armoured types. Tested to HD 629.1 and IEC 60502-4 standards.

Features:

- One-piece cold shrink design fits a wide range of cable sizes.
- High-K stress relief eliminates need for tape.
- Hydrophobic silicone body resists UV and contamination.
- Skirted silicone insulator increases tracking protection.
- Easy installation at temperature (0°C to +50°C) and no special tools required.
- No heat or flame required for installation.



| Item Code | Voltage | Cable Core | Tech. | Configuration | Cable Configuration | Cable Conductor | Packing |
|-------------------------------|---------|------------|-------------|--------------------|---------------------------|-----------------|-------------|
| KM3M-5623K/ MAL/AWA/ CTS | 11kV | 1C | Cold Shrink | Indoor Termination | Armour/ Non-Armour/CTS | 70-95 | 1 kit/ 3 Ph |
| KM3M-5624K/ AWA/CTS | 11kV | 1C | Cold Shrink | Indoor Termination | Armour/ Non-Armour/CTS | 120-240 | 1 kit/ 3 Ph |
| KM3M-5625K/ MAL/AWA/CTS | 11kV | 1C | Cold Shrink | Indoor Termination | Armour/ Non-Armour/CTS | 400-630 | 1 kit/ 3 Ph |
| KM3M-5625K-1A/ MAL/AWA/CTS | 11kV | 1C | Cold Shrink | Indoor Termination | Armour/ Non-Armour/CTS | 400-630 | 1 kit/ 1 Ph |
| KM3M-5625K-1/ MAL/AWA/CTS | 11kV | 1C | Cold Shrink | Indoor Termination | Armour/ Non-Armour/CTS | 800-1000 | 1 kit/ 1 Ph |
| KM3M-5633K/ ABC | 11kV | 1C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 70-150 | 1 kit/ 3 Ph |
| KM3M-5635K/ ABC | 11kV | 1C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 185-240 | 1 kit/ 3 Ph |

| Item Code | Voltage | Cable Core | Technologies | Configuration | Cable Configuration | Cable Conductor | Packing |
|----------------------------|---------|------------|--------------|---------------------|-----------------------|-----------------|-------------|
| KM3M-5633K/MAL/AWA/CTS | 11kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 70-150 | 1 kit/ 3 Ph |
| KM3M-5635K/AWA/CTS | 11kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 185-240 | 1 kit/ 3 Ph |
| KM3M-5636K/AWA/CTS | 11kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 400-630 | 1 kit/ 3 Ph |
| KM3M-62-RS42-3/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 70-95 | 1 kit/ 3 Ph |
| KM3M-62-RS43-3/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 120-150 | 1 kit/ 3 Ph |
| KM3M-62-RS44-3/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 185-240 | 1 kit/ 3 Ph |
| KM3M-62-RS44-3/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 300 | 1 kit/ 3 Ph |
| KM3M-62-RS45-3/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 400-500 | 1 kit/ 3 Ph |
| KM3M-62-RS42-4/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 70-95 | 1 kit/ 3 Ph |
| KM3M-62-RS43-4/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 120-150 | 1 kit/ 3 Ph |
| KM3M-62-RS44-4/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 185-240 | 1 kit/ 3 Ph |
| KM3M-62-RS44-4/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 300 | 1 kit/ 3 Ph |
| KM3M-62-RS45-4/MAL/AWA/CTS | 11kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 400-500 | 1 kit/ 3 Ph |
| KM3M-5693K/AWA/CTS | 33kV | 1C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 150-240 | 1 kit/ 3 Ph |
| KM3M-5694K/AWA/CTS | 33kV | 1C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 300-630 | 1 kit/ 3 Ph |
| KM3M-5684-3/MAL | 33kV | 1C | Cold Shrink | Indoor Termination | Non-Armoured/CWS | 630 | 1 kit/ 3 Ph |
| KM3M-5684-3/AWA/CTS | 33kV | 1C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 800 | 1 kit/ 3 Ph |
| KM3M-5696K/ABC | 33kV | 1C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 70-120 | 1 kit/ 3 Ph |
| KM3M-5697K/ABC | 33kV | 1C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 150-240 | 1 kit/ 3 Ph |

| Item Code | Voltage | Cable Core | Technologies | Configuration | Cable Configuration | Cable Conductor | Packing |
|----------------------------|---------|------------|--------------|---------------------|-----------------------|-----------------|-------------|
| KM3M-5698K/ABC | 33kV | 1C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 300-400 | 1 kit/ 3 Ph |
| KM3M-5697K/MAL/AWA/CTS | 33kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 150-240 | 1 kit/ 3 Ph |
| KM3M-5698K/MAL/AWA/CTS | 33kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 300-500 | 1 kit/ 3 Ph |
| KM3M-5608-3/MAL | 33kV | 1C | Cold Shrink | Outdoor Termination | Non-Armoured/CWS | 630 | 1 kit/ 3 Ph |
| KM3M-5608-3/AWA/CTS | 33kV | 1C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 800 | 1 kit/ 3 Ph |
| KM3M-64-RS43-3/MAL/AWA/CTS | 33kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 150-185 | 1 kit/ 3 Ph |
| KM3M-64-RS44-3/MAL/AWA/CTS | 33kV | 3C | Cold Shrink | Indoor Termination | Armour/Non-Armour/CTS | 240-300 | 1 kit/ 3 Ph |
| KM3M-64-RS45-3/MAL/AWA/CTS | 33kV | 3C | Hybrid | Indoor Termination | Armour/Non-Armour/CTS | 400 | 1 kit/ 3 Ph |
| KM3M-64-RS42-4/MAL/ABC | 33kV | 3C | Cold Shrink | ABC Termination | Non-Armoured/CTS | 150-185 | 1 kit/ 3 Ph |
| KM3M-64-RS41-4/MAL/AWA/CTS | 33kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 70-120 | 1 kit/ 3 Ph |
| KM3M-64-RS42-4/MAL/AWA/CTS | 33kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 150-185 | 1 kit/ 3 Ph |
| KM3M-64-RS43-4/MAL/AWA/CTS | 33kV | 3C | Cold Shrink | Outdoor Termination | Armour/Non-Armour/CTS | 240-300 | 1 kit/ 3 Ph |
| KM3M-95-EB622-2/OD | 45kV | 1C | Cold Shrink | Outdoor Termination | Non-Armoured/CTS | 240 | 1 kit/ 1 Ph |