


MV COLD SHRINK SPLICE KITS SERIES FOR UP TO 33KV

Designed for splicing single and three-core polymeric cables (up to 33kV), suitable for both armoured and non-armoured types. They support Straight Through, Cross Bonding, Aerial Bundle Cable (ABC) joints, and are tested to HD 629.1 and IEC 60502-4 standards.

Features:

- One-piece cold shrink design fits a wide range of cable sizes and types.
- Built-in semi-conductive electrode eliminates taping by forming a Faraday cage.
- Multiple re-jacketing options (e.g., RPM, FR-RPM, resin, PST, tape) offer strong mechanical protection and moisture sealing.
- Easy installation at temperatures from 0°C to +50°C.
- No heat, flame, or special tools required for installation.



Item Code	Voltage	Cable Core	Tech.	Configuration	Joint Re-jacketing	Cable Configuration	Cable Conductor	Packing
KM3M-92-AG612-1/ST/EB	11kV	1C	Cold Shrink	ABC Joint	PST Re-jacketing	Non-Armoured/CTS	70-120	1 kit/ 3 Ph
KM3M-92-AG622-1/ST/EB	11kV	1C	Cold Shrink	ABC Joint	PST Re-jacketing	Non-Armoured/CTS	150-240	1 kit/ 3 Ph
KM3M-92-AG612-1/ST/RPM	11kV	1C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	70-95	1 kit/ 1 Ph
KM3M-92-AG622-1/ST/RPM	11kV	1C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	185-240	1 kit/ 1 Ph
KM3M-92-AG632-1/ST/RPM	11kV	1C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	300-500	1 kit/ 1 Ph
KM3M-92-AG632-1/XB/AWA/RPM	11kV	1C	Cold Shrink	Cross Bond Joint	Resin Pressure Method	Armour/Non-Armour/CTS	300-500	1 kit/ 1 Ph

Item Code	Voltage	Cable Core	Tech.	Configuration	Joint Rejacketing	Cable Configuration	Cable Conductor	Packing
KM3M-92-AG632-1/XB/AWA/RPM/FR	11kV	1C	Cold Shrink	Cross Bond Joint	FR Resin Pressure Method	Armour/Non-Armour/CTS	300-500	1 kit/ 1 Ph
KM3M-92-AG610-3/ST/RPM	11kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	70-95	1 kit/ 3 Ph
KM3M-92-AG620-3A/RPM	11kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	120-150	1 kit/ 3 Ph
KM3M-92-AG620-3B/RPM	11kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	185-240	1 kit/ 3 Ph
KM3M-92-AG640-3/RPM	11kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	300-500	1 kit/ 3 Ph
KM3M-62-AX-630/ST/MAL/RPM	11kV	1C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	500-630	1 kit/ 1 Ph
KM3M-62-AT433-3/ST/MAL/RPM	11kV	3C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	25-95	1 kit/ 3 Ph
KM3M-62-AT443-3/ST/MAL/RPM	11kV	3C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	120-150	1 kit/ 3 Ph
KM3M-62-AT453-3/ST/MAL/RPM	11kV	3C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	185-240	1 kit/ 3 Ph
KM3M-62-AT463-3/ST/MAL/RPM	11kV	3C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	300-400	1 kit/ 3 Ph
KM3M-93-AK640-1/XB/AWA/CTS	22kV	1C	Cold Shrink	Cross Bond Joint	Tape Rejacketing	Armour/Non-Armour/CTS	300-500	1 kit/ 1 Ph
KM3M-94-AK620-1/ST/MAL/ABC	33kV	1C	Cold Shrink	ABC Joint	Tape Rejacketing	Non-Armoured/CTS	150-240	1 kit/ 3 Ph
KM3M-94-AK630-1/ST/MAL/ABC	33kV	1C	Cold Shrink	ABC Joint	Tape Rejacketing	Non-Armoured/CTS	300-400	1 kit/ 3 Ph
KM3M-94-AK620-1/ST/MAL/RPM	33kV	1C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	150-240	1 kit/ 1 Ph
KM3M-94-AK620-1/XB/AWA/CTS	33kV	1C	Cold Shrink	Cross Bond Joint	Tape Rejacketing	Armour/Non-Armour/CTS	150-240	1 kit/ 1 Ph
KM3M-94-AK630-1/ST/MAL	33kV	1C	Cold Shrink	Straight Through Joint	Resin w/ mold	Non-Armoured/CWS	500-630	1 kit/ 1 Ph
KM3M-94-AK630-1/XB/MAL	33kV	1C	Cold Shrink	Cross Bond Joint	Resin w/ mold	Non-Armoured/CWS	500-630	1 kit/ 1 Ph



MV Joint & Termination Kits

Item Code	Voltage	Cable Core	Tech.	Configuration	Joint Rejacketing	Cable Configuration	Cable Conductor	Packing
KM3M-94-AK630-1/ST/AWA/CTS	33kV	1C	Cold Shrink	Straight Through Joint	Tape Rejacketing	Armour/Non-Armour/CTS	300-630	1 kit/ 1 Ph
KM3M-94-AK630-1/XB/AWA/CTS	33kV	1C	Cold Shrink	Cross Bond Joint	Tape Rejacketing	Armour/Non-Armour/CTS	500-630	1 kit/ 1 Ph
KM3M-94-AK631-1/ST/AWA/CTS	33kV	1C	Cold Shrink	Straight Through Joint	Tape Rejacketing	Armour/Non-Armour/CTS	800	1 kit/ 1 Ph
KM3M-94-AK631-1/ST/AWA/CTS/RPM	33kV	1C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Armour/Non-Armour/CTS	800	1 kit/ 1 Ph
KM3M-94-AK620-3/ST/MAL/RPM	33kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	95-240	1 kit/ 3 Ph
KM3M-94-AK630-3/MAL/A/C/RPM	33kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Armour/Non-Armour/CTS	300-400	1 kit/ 3 Ph
KM3M-94-AK640-3/MAL/A/C/RPM	33kV	3C	Cold Shrink	Straight Through Joint	Resin Pressure Method	Armour/Non-Armour/CTS	500-630	1 kit/ 3 Ph
KM3M-64-AX-400/ST/AWA/CTS	33kV	1C	Tape Joint	Straight Through Joint	Resin Pressure Method	Armour/Non-Armour/CTS	300-400	1 kit/ 1 Ph
KM3M-64-ATM-X630/MAL	33kV	1C	Tape Joint	Straight Through Joint	Compound w/ mold	Non-Armoured/CWS	500-630	1 kit/ 1 Ph
KM3M-64-ATM-XB630/MAL	33kV	1C	Tape Joint	Cross Bond Joint	Compound w/ mold	Non-Armoured/CWS	500-630	1 kit/ 1 Ph
KM3M-64-AX-630/ST/AWA/CTS	33kV	1C	Tape Joint	Straight Through Joint	Resin Pressure Method	Armour/Non-Armour/CTS	500-630	1 kit/ 1 Ph
KM3M-64-AX-630/XB/AWA/CTS	33kV	1C	Tape Joint	Cross Bond Joint	Resin Pressure Method	Armour/Non-Armour/CTS	500-630	1 kit/ 1 Ph
KM3M-64-AT541-3/MAL	33kV	3C	Tape Joint	Straight Through Joint	Resin Pressure Method	Non-Armoured/CTS	240-300	1 kit/ 3 Ph
KM3M-ABC-64-3/EB	33kV	1C	Tape Joint	ABC Joint	Tape Rejacketing	Non-Armoured/CTS	150-185	1 kit/ 3 Ph
KM3M-ABC-64-4/EB	33kV	1C	Tape Joint	ABC Joint	Tape Rejacketing	Non-Armoured/CTS	240	1 kit/ 3 Ph




MV COLD SHRINK TERMINATION KITS (INDOOR & OUTDOOR) FOR UP TO 33KV

Designed for indoor and outdoor terminations of single and three-core polymeric cables (up to 33kV), suitable for both armoured and non-armoured types. Tested to HD 629.1 and IEC 60502-4 standards.

Features:

- One-piece cold shrink design fits a wide range of cable sizes.
- High-K stress relief eliminates need for tape.
- Hydrophobic silicone body resists UV and contamination.
- Skirted silicone insulator increases tracking protection.
- Easy installation at temperature (0°C to +50°C) and no special tools required.
- No heat or flame required for installation.



Item Code	Voltage	Cable Core	Tech.	Configuration	Cable Configuration	Cable Conductor	Packing
KM3M-5623K/MAL/AWA/ CTS	11kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	70-95	1 kit/ 3 Ph
KM3M-5624K/AWA/CTS	11kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	120-240	1 kit/ 3 Ph
KM3M-5625K/MAL/AWA/CTS	11kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	400-630	1 kit/ 3 Ph
KM3M-5625K-1A/MAL/AWA/CTS	11kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	400-630	1 kit/ 1 Ph
KM3M-5625K-1/MAL/AWA/CTS	11kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	800-1000	1 kit/ 1 Ph
KM3M-5633K/ABC	11kV	1C	Cold Shrink	ABC Termination	Non-Armoured/CTS	70-150	1 kit/ 3 Ph
KM3M-5635K/ABC	11kV	1C	Cold Shrink	ABC Termination	Non-Armoured/CTS	185-240	1 kit/ 3 Ph

Item Code	Voltage	Cable Core	Technologies	Configuration	Cable Configuration	Cable Conductor	Packing
KM3M-5633K/MAL/AWA/CTS	11kV	1C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	70-150	1 kit/ 3 Ph
KM3M-5635K/AWA/CTS	11kV	1C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	185-240	1 kit/ 3 Ph
KM3M-5636K/AWA/CTS	11kV	1C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	400-630	1 kit/ 3 Ph
KM3M-62-RS42-3/MAL/AWA/CTS	11kV	3C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	70-95	1 kit/ 3 Ph
KM3M-62-RS43-3/MAL/AWA/CTS	11kV	3C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	120-150	1 kit/ 3 Ph
KM3M-62-RS44-3/MAL/AWA/CTS	11kV	3C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	185-240	1 kit/ 3 Ph
KM3M-62-RS44-3/MAL/AWA/CTS	11kV	3C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	300	1 kit/ 3 Ph
KM3M-62-RS45-3/MAL/AWA/CTS	11kV	3C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	400-500	1 kit/ 3 Ph
KM3M-62-RS42-4/MAL/AWA/CTS	11kV	3C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	70-95	1 kit/ 3 Ph
KM3M-62-RS43-4/MAL/AWA/CTS	11kV	3C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	120-150	1 kit/ 3 Ph
KM3M-62-RS44-4/MAL/AWA/CTS	11kV	3C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	185-240	1 kit/ 3 Ph
KM3M-62-RS44-4/MAL/AWA/CTS	11kV	3C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	300	1 kit/ 3 Ph
KM3M-62-RS45-4/MAL/AWA/CTS	11kV	3C	Cold Shrink	Outdoor Termination	Armour/ Non-Armour/CTS	400-500	1 kit/ 3 Ph
KM3M-5693K/AWA/CTS	33kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	150-240	1 kit/ 3 Ph
KM3M-5694K/AWA/CTS	33kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	300-630	1 kit/ 3 Ph
KM3M-5684-3/MAL	33kV	1C	Cold Shrink	Indoor Termination	Non-Armoured/CWS	630	1 kit/ 3 Ph
KM3M-5684-3/AWA/CTS	33kV	1C	Cold Shrink	Indoor Termination	Armour/ Non-Armour/CTS	800	1 kit/ 3 Ph
KM3M-5696K/ABC	33kV	1C	Cold Shrink	ABC Termination	Non-Armoured/CTS	70-120	1 kit/ 3 Ph
KM3M-5697K/ABC	33kV	1C	Cold Shrink	ABC Termination	Non-Armoured/CTS	150-240	1 kit/ 3 Ph

Item Code	Voltage	Cable Core	Technologies	Configuration	Cable Configuration	Cable Conductor	Packing
KM3M-5698K/ABC	33kV	1C	Cold Shrink	ABC Termination	Non-Armoured/CTS	300-400	1 kit/ 3 Ph
KM3M-5697K/MAL/AWA/CTS	33kV	1C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	150-240	1 kit/ 3 Ph
KM3M-5698K/MAL/AWA/CTS	33kV	1C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	300-500	1 kit/ 3 Ph
KM3M-5608-3/MAL	33kV	1C	Cold Shrink	Outdoor Termination	Non-Armoured/CWS	630	1 kit/ 3 Ph
KM3M-5608-3/AWA/CTS	33kV	1C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	800	1 kit/ 3 Ph
KM3M-64-RS43-3/MAL/AWA/CTS	33kV	3C	Cold Shrink	Indoor Termination	Armour/Non-Armour/CTS	150-185	1 kit/ 3 Ph
KM3M-64-RS44-3/MAL/AWA/CTS	33kV	3C	Cold Shrink	Indoor Termination	Armour/Non-Armour/CTS	240-300	1 kit/ 3 Ph
KM3M-64-RS45-3/MAL/AWA/CTS	33kV	3C	Hybrid	Indoor Termination	Armour/Non-Armour/CTS	400	1 kit/ 3 Ph
KM3M-64-RS42-4/MAL/ABC	33kV	3C	Cold Shrink	ABC Termination	Non-Armoured/CTS	150-185	1 kit/ 3 Ph
KM3M-64-RS41-4/MAL/AWA/CTS	33kV	3C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	70-120	1 kit/ 3 Ph
KM3M-64-RS42-4/MAL/AWA/CTS	33kV	3C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	150-185	1 kit/ 3 Ph
KM3M-64-RS43-4/MAL/AWA/CTS	33kV	3C	Cold Shrink	Outdoor Termination	Armour/Non-Armour/CTS	240-300	1 kit/ 3 Ph
KM3M-95-EB622-2/OD	45kV	1C	Cold Shrink	Outdoor Termination	Non-Armoured/CTS	240	1 kit/ 1 Ph